

## Rows - Grid System

Rows are in `.container` or `.container-fluid`

## Columns

<code>.col-xs-</code>	Always	Full
<code>.col-sm-</code>	>768	750 wide
<code>.col-md-</code>	>992	970 wide
<code>.col-lg-</code>	>1200	1170 wide

## Resets, Offsets, Pushes, Pulls

`.clearfix`

`.col-xs-offset- (sm, md, lg)`

## Nest using a .row inside a col

`.col-xs-push- (sm, md, lg)`

`.col-xs-pull- (sm, md, lg)`

`.visible-xs (sm, md, lg)`

`.hidden-xs (sm, md, lg)`

`.visible-print`

`.hidden-print`

## Grid Variables

<code>@grid-columns:</code>	12
<code>@grid-gutter-width:</code>	30px
<code>@grid-float-breakpoint:</code>	768px

## Using Grid Mixin CSS

```
.wrapper { .make-row(); }
.content-main { .make-lg-column(8); }
.content-secondary {
  .make-lg-column(3);
  .make-lg-column-offset(1);
}
```

## Using Grid Mixin HTML

```
<div class="wrapper">
  <div class="content-main">...</div>
  <div class="content-secondary">...</div>
</div>
```

## Typography

<code>.h1</code>	<code>.h2</code>	<code>.h3</code>
<code>.h4</code>	<code>.h5</code>	<code>.h6</code>
<code>.small</code>	<code>&lt;small&gt;</code>	<code>.lead</code>

`@font-size-base` | `@line-height-base`

## Align

<code>.text-left</code>	<code>.text-right</code>
<code>.text-center</code>	<code>.text-justify</code>

## Text Helpers

<code>.text-muted</code>	<code>.text-primary</code>
<code>.text-success</code>	<code>.text-info</code>
<code>.text-warning</code>	<code>.text-danger</code>
<code>.bg-primary</code>	<code>.bg-success</code>
<code>.bg-info</code>	<code>.bg-warning</code>
<code>.bg-danger</code>	
<code>.text-hide</code>	<code>.sr-only</code>

## Lists

<code>.list-unstyled</code>	<code>.list-inline</code>
-----------------------------	---------------------------

## Descriptions

```
<dl> <dt>...</dt> <dd>...</dd> </dl>
.dl-horizontal
```

## Images

<code>.img-responsive</code> (max-width:100%, height:auto)
<code>.img-rounded</code>
<code>.img-circle</code>
<code>.img-thumbnail</code> (double border)

## Forms

## NEED TO DO

## Buttons

```
<button type="button" class="btn btn-default">Default</button>
<a href="#" class="btn btn-primary btn-lg active" role="button">Primary link</a>
```

## Button Classes

<code>.btn-default</code>	<code>.btn-primary</code>
<code>.btn-success</code>	<code>.btn-info</code>
<code>.btn-warning</code>	<code>.btn-danger</code>
<code>.btn-link</code> (to look like a link)	
<code>.btn-lg</code>	<code>.btn-sm</code>
<code>.btn-xs</code>	<code>.btn-block</code>
<code>.active</code> (A tag)	<code>.disabled</code> (A tag)
<code>disabled="disabled"</code>	

## Labels

<code>.label</code>	<code>.label-default</code>
primary, success, info, warning, danger	
<code>&lt;span class="label label-default"&gt;New&lt;/span&gt;</code>	

## Badge

`<span class="badge">42</span>`

## Alerts

<code>.alert</code> <code>.alert-success</code>
success, info, warning, or danger
<code>.alert-dismissible</code>
<code>&lt;button type="button" class="close" data-dismiss="alert" aria-hidden="true"&gt;&amp;times;&lt;/button&gt;</code>
<code>&lt;a href="#" class="alert-link"&gt;...&lt;/a&gt;</code>

# Bootstrap 3.0 Cheat Sheet

[www.jvcodes.com](http://www.jvcodes.com)

## Tables

`.table` `.table-striped`

`.table-bordered` `.table-hover`

`.table-condensed`

`.table-responsive`

Wrap `.table` in `.table-responsive`

```
<div class="table-responsive">
```

```
...table
```

```
</div>
```

## Rows or Cells

`.active` `.success` `.info`

`.warning` `.danger`

## Tags (cont)

### Clear Floats

`.clearfix`

### Center Block (*mixin also*)

`.center-block` (`display:block`, `margin auto`) | `.center-block()`;

### Show (*mixin also*)

`.show` | `.show()`;

### Hide (*mixin also*)

`.hide` | `.hide()`;

### Glyphicons

```
<span class="glyphicon glyphicon-search"></span>
```

## Tags

### abbr

```
<abbr title="attribute">attr</abbr>
```

### address

```
<address> <strong>Twitter, Inc.</strong>
<br> 795 Folsom Ave, Suite 600<br>
San Francisco, CA 94107<br> <abbr
title="Phone">P:</abbr> (123) 456-7890
</address>
```

### blockquote

```
<blockquote> <p>Lorem ipsum dolor sit
amet, consectetur adipiscing elit. Intege-
r</p> </blockquote>
```

### blockquote footer

```
<footer>Someone famous in <cite title="-
Source Title">Source Title</cite></foot-
er>
```

### blockquote right justify

`.blockquote-reverse`

### code

```
<code>&lt;section&gt;</code>
```

### kbd Keyboard Entry

```
<kbd>cd</kbd>
```

### .pre-scrollable

Max Height 350px box, with y-axis scrollbar. Used with **pre** tag

### close button

```
<button type="button" class="close" aria-
hidden="true">&times;</button>
```

### Caret

```
<span class="caret"></span>
```

### Floats

`.pull-left` `.pull-right`

### Float Mixin

```
.element { .pull-left(); }
```